



PERFORMANCE FUELS

<b>Specification Sheet:</b> (Typical Values)	<b>E85R</b>
<b>Color =</b>	Colorless
<b>Specific Gravity =</b>	0.7800
<b>MON =</b>	95.2
<b>RON =</b>	108
<b>(R+M)/2 =</b>	101.6
<b>Oxygen Content =</b>	30.03%
<b>Oxidation Stability (min.) =</b>	1440+
<b>Leaded:</b>	No
<b>RVP =</b>	4.22psi
<b>Distillation</b>	
<b>IBP =</b>	140.0°F
<b>10% =</b>	163.4°F
<b>50% =</b>	170.6°F
<b>90% =</b>	172.0°F
<b>FBP =</b>	174.7°F
<b>H:C ratio =</b>	2.85
<b>O:C ratio =</b>	0.40
<b>Stoichiometric A/F Ratio =</b>	9.81
<b>Rev =</b>	10/04/19